

Freeform Search

Database: US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Term: @pd<20000724 and L84

Display: **Documents in Display Format:** **Starting with Number**

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search History

DATE: Saturday, March 18, 2006 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> <u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L85</u> @pd<20000724 and L84	4	<u>L85</u>
<u>L84</u> (name near collision) and server adj object	46	<u>L84</u>
<u>L83</u> (name near collision).ab,ti.	13	<u>L83</u>
<i>DB=TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR</i>		
<u>L82</u> STEVENS-COLIN!	1	<u>L82</u>
<u>L81</u> DIGIORGIO-RINALDO!	11	<u>L81</u>
<u>L80</u> UHLER-STEVE!	2	<u>L80</u>
<u>L79</u> UHLER-STEPHEN!	9	<u>L79</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L78</u> (web or http) and L77	14	<u>L78</u>
<u>L77</u> avoid\$4 with name near colli\$4	27	<u>L77</u>
<u>L76</u> client near request and L71	21	<u>L76</u>
<u>L75</u> L2 and L71	1	<u>L75</u>
<u>L74</u> @pd<20000724 and L73	7	<u>L74</u>
<u>L73</u> L16 and L3	45	<u>L73</u>

<u>L72</u>	handler adj object and L71	3	<u>L72</u>
<u>L71</u>	name near colli\$4	168	<u>L71</u>
<u>L70</u>	@pd<20000724 and L69	22	<u>L70</u>
<u>L69</u>	handler adj object and L16	93	<u>L69</u>
<u>L68</u>	hander adj object and L16	1	<u>L68</u>
<u>L67</u>	composite near handler	9	<u>L67</u>
<u>L66</u>	L63 and L65	33	<u>L66</u>
<u>L65</u>	((attribute near value) or (name near value) or (key near value)) with (response))	1182	<u>L65</u>
<u>L64</u>	((attribute near value) or (name near value) or (key naer value)) with (response))	232126	<u>L64</u>
<u>L63</u>	L61 and L62	212	<u>L63</u>
<u>L62</u>	((attribute and value) or (name and value) or (key and value)) with (response))	10221	<u>L62</u>
<u>L61</u>	(modif\$6 or chang\$3 or alter\$3) near propert\$3	63509	<u>L61</u>
<u>L60</u>	propert\$3 with server adj object	62	<u>L60</u>
<u>L59</u>	6108715.ccls.	0	<u>L59</u>
<u>L58</u>	20020032783	2	<u>L58</u>
<u>L57</u>	L51 and L56	2	<u>L57</u>
<u>L56</u>	propert\$3 with hash\$3	916	<u>L56</u>
<u>L55</u>	L51 and L25	0	<u>L55</u>
<u>L54</u>	L51 and L29	0	<u>L54</u>
<u>L53</u>	L51 and L52	4	<u>L53</u>
<u>L52</u>	configur\$3 with propert\$3	8859	<u>L52</u>
<u>L51</u>	L49 and L50	110	<u>L51</u>
<u>L50</u>	((attribute and value) or (name and value) or (key and value)) with (conver\$6))	10509	<u>L50</u>
<u>L49</u>	L41 and L48	1645	<u>L49</u>
<u>L48</u>	L45 or L46 or L47	22685	<u>L48</u>
<u>L47</u>	(715/501.1).ccls.	1253	<u>L47</u>
<u>L46</u>	(719/316).ccls.	475	<u>L46</u>
<u>L45</u>	(709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/208 709/209 709/210 709/211 709/212 709/213 709/214 709/215 709/216 709/217 709/218 709/219).ccls.	21289	<u>L45</u>
<u>L44</u>	L35 and L41	45	<u>L44</u>
<u>L43</u>	L31 and L42	0	<u>L43</u>
<u>L42</u>	((attribute and value) or (name and value) or (key and value)) with (final near response))	0	<u>L42</u>
<u>L41</u>	((attribute and value) or (name and value) or (key and value)) with (request or response))	19012	<u>L41</u>
<u>L40</u>	L35 and L29	0	<u>L40</u>
<u>L39</u>	L35 and L38	9	<u>L39</u>
<u>L38</u>	(handler with ((attribute and value) or (name and value) or (key and value)))	530	<u>L38</u>

<u>L37</u>	(handler with ((attribute and value) or (name and value) or (key and value)) near pairs)	1	<u>L37</u>
<u>L36</u>	((configur\$5 near handler) with ((attribute and value) or (name and value) or (key and value)) near pairs)	0	<u>L36</u>
<u>L35</u>	(propert\$3 with dictionary)	676	<u>L35</u>
<u>L34</u>	(propert\$3 with ((attribute and value) or (name and value) or (key and value)) near pairs)	31	<u>L34</u>
<u>L33</u>	propert\$3 adj object with hash\$3	7	<u>L33</u>
<u>L32</u>	L29 and L31	0	<u>L32</u>
<u>L31</u>	propert\$3 adj object	6862	<u>L31</u>
<u>L30</u>	L24 and L29	1	<u>L30</u>
<u>L29</u>	((stor\$3 or sav\$3) near (partial near result))	278	<u>L29</u>
<u>L28</u>	((stor\$3 or sav\$3) near (partial near result) with propert\$3)	0	<u>L28</u>
<u>L27</u>	20020103934	2	<u>L27</u>
<u>L26</u>	L24 and L25	8	<u>L26</u>
<u>L25</u>	(chain\$3 or interior) with handler	806	<u>L25</u>
<u>L24</u>	request adj object	3466	<u>L24</u>
<u>L23</u>	L21 and L22	6	<u>L23</u>
<u>L22</u>	(instantiat\$3 or creat\$3) near handler	506	<u>L22</u>
<u>L21</u>	(chain\$3 or interior) near handler	129	<u>L21</u>
<u>L20</u>	server adj object with handler	36	<u>L20</u>
<u>L19</u>	L2 and L18	3	<u>L19</u>
<u>L18</u>	(first and second) near handler	266	<u>L18</u>
<u>L17</u>	first and second near handler	485	<u>L17</u>
<u>L16</u>	L13 or L14 or L15	23044	<u>L16</u>
<u>L15</u>	(719/311 719/315).ccls.	1047	<u>L15</u>
<u>L14</u>	(715/501.1 715/513 715/514).ccls.	3540	<u>L14</u>
<u>L13</u>	(709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls.	19240	<u>L13</u>
<u>L12</u>	first and second near (handler adj object) <i>DB=USPT; PLUR=YES; OP=OR</i>	4	<u>L12</u>
<u>L11</u>	'5379426'.pn.	1	<u>L11</u>
<u>L10</u>	'5721908'.pn.	1	<u>L10</u>
<u>L9</u>	'5721908'.pn.	1	<u>L9</u>
<u>L8</u>	'5721908'.pn. <i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>	1	<u>L8</u>
<u>L7</u>	6233622.pn.	2	<u>L7</u>
<u>L6</u>	(composite) near handler adj object	1	<u>L6</u>
<u>L5</u>	(tree or hierarch\$3 or directory or table or list or chain or layer) near handler adj object	4	<u>L5</u>
<u>L4</u>	L2 and L3	44	<u>L4</u>
<u>L3</u>	(tree or hierarch\$3 or directory or table or list or chain or layer) near handler	654	<u>L3</u>

L2 http near request

7908 L2

L1 (tree or hierarch\$3 or directory or table or list) near handler

462 L1

END OF SEARCH HISTORY